

FLOWERING PLANTS IN MADERA CANYON

From Proctor to Josephine Saddle What, Where and When

Keys to Trails: PR: Proctor WH: White House PA: Picnic Area DJ: Dutch John BS: Bog Springs
KS: Kent Springs AM: Amphitheatre NT: Nature Trail ST: Super Trail OB: Old Baldy
CN: Carrie Nation VN: Vault Mine AC: Agua Caliente RU: Roundup Area

| | | |
|------------------------------------------------------------------|------------------------|-----------------------|
| Adder's Mouth (<i>Malaxis corymbosa</i>) | CN | Aug., Sept. |
| Amaranth, Sonoran Globe (<i>Gomphrena sonora</i>) | PR, ST | June – Sept. |
| Anemone, Desert (<i>Anemone tuberosa</i>) | PR | Feb. – April |
| Bahia, Ragleaf (<i>Bahia dissecta</i>) | BS, OB, CN | Aug., Sept. |
| Bean, Tepary (<i>Phaseolus acutifolius</i>) | WH, NT, OB | Aug., Sept. |
| Bedstraw, Common (<i>Galium aparine</i>) | PR, CN | March, Sept. |
| Bee Balm (<i>Monarda citriodora</i> ssp. <i>Austromontana</i>) | NT, BS, ST, CN | Aug. – Oct. |
| Beggarticks, Bigelow's (<i>Bidens bigelovii</i>) | BS, NT | Aug. – Oct. |
| Bergamot (<i>Monarda menthaefolia</i>) | CN | June, July |
| Betony, Texas (<i>Stachys coccinea</i>) | All Trails | Aug. – Oct. |
| Blazing Star, Isolated (<i>Mentzelia isolata</i>) | All Trails above 4900' | Aug., Sept. |
| Blue Curls, AZ (<i>Trichostema arizonicum</i>) | NT, BS, ST | Aug., Sept. |
| Blue Eyes, AZ (<i>Evolvulus arizonicus</i>) | PR, WH, DJ, BS, NT | July – Sept. |
| Bouvardia (<i>Bouvardia ternifolia</i>) | All Trails above 4600' | May – Sept. |
| Brickelbush, Tasselflower (<i>Brickellia grandiflora</i>) | DJ, OB, CN, VM | Sept., Oct. |
| Bristlehead (<i>Carphochaete bigelovii</i>) | NT, KS, ST | April, May |
| Brownfoot (<i>Acourtia wrightii</i>) | PR | May |
| Buckwheat, Abert's (<i>Eriogonum abertianum</i>) | PR, NT | September |
| Bushbean, Variableleaf (<i>Macroptilium gibbosifolium</i>) | AM, NT | Aug., Sept. |
| Butterweed, New Mexico (<i>Senecio neomexicanus</i>) | All Trails above 4900' | April – June |
| Calico, Glandular False (<i>Loeselia glandulosa</i>) | DJ | Sept., Oct. |
| Camphorweed (<i>Heterotheca subaxillaris</i>) | WH | May, July – Sept. |
| Candyleaf, Plummer's (<i>Stevia plummerae</i>) | AC | Sept. |
| Candytuft, Wild (<i>Thlaspi montanum</i>) | NT, VM | March – May |
| Cardinal Flower (<i>Lobelia cardinalis</i>) | CN | Aug., Sept. |
| Carlowrightia (<i>Carlowrightia arizonica</i>) | PR | April, May |
| Carrot, American (<i>Daucus pusillus</i>) | PR, WH | April |
| Ceanothus, Fendler (<i>Ceanothus fendleri</i>) | VM | August |
| Chicory, Desert (<i>Rafinesquia neomexicana</i>) | PR, WH, NT | March – May |
| Chinchweed, Threadstem (<i>Pectis filipes</i>) | NT, BS | Aug., Sept. |
| Cinquefoil, Red (<i>Potentilla thurberi</i>) | CN | July, August |
| Cinquefoil, Clubleaf (<i>Potentilla subviscosa</i>) | AC | May |
| Clover, Bushy Tick (<i>Desmodium batocaulon</i>) | All trails above 4900' | Aug. – Sept. |
| Clover, Spiked Tick (<i>Desmodium cinerascens</i>) | DJ, BS, ST | May, Aug., Sept. |
| Clover, Gray's Prairie (<i>Dalea grayii</i>) | ST | Sept. |
| Clover, Scruffy Prairie (<i>Dalea albiflora</i>) | BS, ST, OB | Sept. |
| Cologania (<i>Cologania longifolia</i>) | NT, ST, OB | July, August |
| Columbine, Yellow (<i>Aquilegia chrysantha</i>) | ST, CN | May – Sept. |
| Coral Bells (<i>Heuchera sanguinea</i>) | All Trails | April, May; Aug.-Oct. |
| Cosmos, Southwestern (<i>Cosmos parviflorus</i>) | NT, BS, CN | Aug. – Oct. |
| Coursetia (<i>Cracca caribaea</i> var. <i>sericea</i>) | NT, ST | May, August |
| Creeper, Scarlet (<i>Ipomoea cristulata</i>) | All Trails | Aug., Sept. |
| Crownbeard, Longleaf (<i>Verbesina longifolia</i>) | ST, CN | Aug., Sept. |
| Cudweed, White (<i>Gnaphalium leucocephalum</i>) | NT | Sept., Oct. |
| Dalea, Feather (<i>Dalea formosa</i>) | OB | April |
| Dayflower, Western (<i>Commelina dianthifolia</i>) | All trails above 4900' | Aug., Sept. |
| Dayflower, Whitemouth (<i>Commelina erecta</i>) | PR, WH | Aug., Sept. |

| | | |
|------------------------------------------------------------------|------------------------|------------------------|
| Deerclover (<i>Lotus oroboides</i>) | NT, AM, BS, ST, OB | May, August |
| Desert Straw (<i>Stephanomeria pauciflora</i>) | PR | May |
| Devil's Claw, Red (<i>Proboscidea parviflora</i>) | PR | October |
| Draba, Santa Rita Mtn. (<i>Draba petrophila</i>) | ST, OB, CN | July, August |
| Evening Primrose, Hooker's (<i>Oenothera elata</i>) | PR, PA, NT, RU | July – Oct. |
| Evening Primrose, Spring (<i>Oenothera primiveris</i>) | PR | March |
| Fairy Duster (<i>Calliandra eriophylla</i>) | PR, WH | April |
| Fiddleneck (<i>Amsinckia tessellata</i>) | PR | March, April |
| Figwort, Southwestern (<i>Scrophularia parviflora</i>) | WH, DJ, ST, OB, CN | July – Sept. |
| Filaree (<i>Erodium cicutarium</i>) | PR | March – May |
| Flameflower, Orange (<i>Talinum aurantiacum</i>) | WH, NT | August |
| Flax, Western Blue (<i>Linum lewisii</i>) | RU, OB | April – June |
| Flax, New Mexican Yellow (<i>Linum neomexicanum</i>) | OB, VM | Aug., Sept. |
| Fleabane, New Mexican (<i>Erigeron neomexicanus</i>) | All trails above 4900' | Aug., Sept. |
| Fleabane, Spreading (<i>Erigeron divergens</i>) | PR, WH, ST | April, May, Sept. |
| Fleabane, Trailing (<i>Erigeron flagellaris</i>) | PR, NT, KS | March, April |
| Fournwort, Hairy (<i>Tetramerium nervosum</i>) | PR | Sept., Oct. |
| Four O'Clock, Ribbon (<i>Mirabilis linearis</i>) | PR, WH, NT, ST | April – August |
| Four O'Clock, Sweet (<i>Mirabilis longiflora</i>) | WH, OB | Aug., Sept. |
| Four O'Clock, Tufted (<i>Mirabilis albida</i>) | All trails above 4900' | Aug., Sept. |
| Foxglove, Arizona Desert (<i>Brachystigma wrightii</i>) | NT | September |
| Gentian, Chiricahua Dwarf (<i>Gentianella microcalyx</i>) | VM, AC | September |
| Geranium, Huachuca Mtn. (<i>Geranium wislizenii</i>) | CN, ST | Aug., Sept. |
| Geranium, Wild (<i>Geranium caespitosum</i>) | ST, OB, CN | July – Sept. |
| Globemallow, Fendler's (<i>Sphaeralcea fendleri</i>) | PR, WH | March-May; Aug. |
| Goldenaster (<i>Heterotheca fulcrata</i> var. <i>fulcrata</i>) | BS, OB | Aug., Sept. |
| Goldenaster (<i>Heterotheca fulcrata</i> var. <i>senilis</i>) | BS | Aug., Sept. |
| Goldeneye, Heartleaf (<i>Viguiera cordifolia</i>) | AM, ST | September |
| Goldeneye, Longleaf False (<i>Heliopsis longifolia</i>) | DJ, ST, CN, AC | September |
| Goldeneye, Many-flowered (<i>Viguiera multiflora</i>) | WH, DJ, NT, ST, CN | July – Sept. |
| Goldeneye, Toothleaf (<i>Viguiera dentata</i>) | PR, NT | October |
| Goldenrod, Sparse-flowered (<i>Solidago sparsiflora</i>) | WH, PA, CN | September |
| Goldenrod, Wright's (<i>Solidago wrightii</i>) | BS, CN, VM | July – Sept. |
| Golden Smoke (<i>Corydalis aurea</i>) | PR, WH, AC | March – May |
| Gourd, Buffalo (<i>Cucurbita foetidissima</i>) | WH | May |
| Ground Cherry, Southwestern (<i>Physalis caudella</i>) | ST, CN, VM | August |
| Groundsel, Seeman (<i>Senecio carlomasonii</i>) | DJ, BS, ST, CN | Sept., Oct. |
| Guardiola (<i>Guardiola platyphylla</i>) | WH | August |
| Hawkweed, Pringle's (<i>Hieracium pringlei</i>) | CN | May |
| Henbit, Claspig (<i>Lamium amplexicaule</i>) | PR, WH | March, April |
| Honeysuckle, Desert (<i>Anisacanthus thurberi</i>) | PR, WH | April, May |
| Horehound (<i>Marrubium vulgare</i>) | PR, WH | March – May |
| Hummingbird Mint, Arizona (<i>Agastache breviflora</i>) | CN, VM | August |
| Hummingbird Trumpet (<i>Epilobium canum</i>) | PA, NT, ST, CN | Aug – Oct. |
| Hyacinth, Desert (<i>Dichelostemma pulchellum</i>) | PR | March, April |
| Indigo Bush (<i>Dalea versicolor</i>) | DJ, NT, BS, ST, OB | April-June; Oct. |
| Lace Pod (<i>Thysanocarpus curvipes</i>) | PR | August |
| Larkspur (<i>Delphinium andesicola</i>) | CN | Aug., Sept. |
| Lettuce, Thurber's Wire (<i>Stephanomeria thurberi</i>) | CN | May – July |
| Lily, Torrey's Crag (<i>Echeandia flavescens</i>) | NT, ST, OB, CN | Aug., Sept. |
| London Rocket (<i>Sisymbrium irio</i>) | PR | March – May |
| Lotus, Green's (<i>Lotus greenei</i>) | PR, WH | April, May |
| Lupine, Bajada (<i>Lupinus concinnus</i>) | PR, WH | March, April |
| Lupine, Huachuca Mountain (<i>Lupinus huachucanus</i>) | CN | April |
| Lupine, Palmer's (<i>Lupinus palmeri</i>) | NT, BS, OB | April-May; Sept., Oct. |
| Marigold, Lemmon's (<i>Tagetes lemmoni</i>) | WH, NT, ST, CN | Sept., Oct. |

| | | |
|--------------------------------------------------------------------|-------------------------|---------------------|
| Mexican Star (<i>Mille biflora</i>) | BS | September |
| Milkvetch, Halfmoon (<i>Astragalus allochrous</i>) | PR | April, May |
| Mimosa, Velvetpod (<i>Mimosa dysocarpa</i>) | PR, WH, NT, ST | June – Sept. |
| Monkey Flower, Common (<i>Mimulus guttatus</i>) | PR, WH, NT, ST | April – July |
| Morning Glory, Canyon (<i>Ipomoea barbatisepala</i>) | WH, NT, BS | Aug., Sept. |
| Morning Glory, Ivyleaf (<i>Ipomoea hederaceae</i>) | PR, WH, NT | Aug., Sept. |
| Morning Glory, Tall (<i>Ipomoea purpurea</i>) | PR, WH, NT, CN | Aug., Sept. |
| Mullein, Common (<i>Verbascum thapsus</i>) | WH | July |
| Mustard, Western Tansy (<i>Descurainia pinnata</i>) | PR | March |
| Nightshade, Silverleaf (<i>Solanum elaeagnifolium</i>) | PR, WH | May – Sept. |
| Nightshade, White (<i>Solanum nodiflorum</i>) | AM, NT, ST, OB, CN | July, Aug. |
| Onion, Nodding (<i>Allium cernuum</i>) | ST, OB, CN | Aug., Sept. |
| Ox Eye, Mountain (<i>Heliopsis parviflora</i>) | ST, OB, CN, VM | July – Sept. |
| Paintbrush (<i>Castilleja tenuiflora</i>) | All trails above 4900' | April to Oct. |
| Paintbrush, Rincon Mtn. Indian (<i>Castilleja austromontana</i>) | CN, VM | Aug., Sept. |
| Parsley, Mountain (<i>Pseudocymopterus montanus</i>) | OB | June |
| Pea, Butterfly (<i>Clitoria mariana</i>) | WH, AM | July, August |
| Pennyroyal, False (<i>Hedeoma nanum</i>) | NT, BS, VM | Aug., Sept. |
| Penstemon, Beardlip (<i>Penstemon barbatus</i>) | NT, ST, OB, CN | July – October |
| Penstemon, Parry's (<i>Penstemon parryi</i>) | PR | April, May |
| Periwinkle (<i>Vinca major</i>) | AM | March, April, Sept. |
| Phacelia, Blue (<i>Phacelia distans</i>) | PR, WH | March – May |
| Pinedrops, Woodland (<i>Pterospora andromedea</i>) | NT, CN | June, July |
| Plantain, Woolly (<i>Plantago patagonica</i>) | PR, WH | April |
| Popcorn Flower, Bearded (<i>Cryptantha barbiger</i>) | PR, WH | March – May |
| Poppy, Mexican Gold (<i>Eschscholtzia mexicana</i>) | PR, WH | Feb. – May |
| Poppy, Prickly (<i>Argemone pleiacantha</i>) | PR, WH | May – Sept. |
| Potato, Fendler's (<i>Solanum fendleri</i>) | ST, OB, CN, VM | Aug., Sept. |
| Pussytoes, Whitemargin (<i>Antennaria marginata</i>) | AC | May |
| Ragwort, Carl Mason's (<i>Senecio carlomasonii</i>) | All Trails above 5,000' | Sept., Oct. |
| Ragwort, Macdougall's (<i>Senecio macdougalii</i>) | OB | September |
| Ragwort, Oak Creek (<i>Senecio quercetorum</i>) | OB, CN | April |
| Raspberry, New Mexican (<i>Rubus neomexicanus</i>) | CN | July |
| Rock Cress, Stiffarm (<i>Arabis perennans</i>) | PR | March |
| Sida, Spreading (<i>Sida filicaulis</i>) | PR | April |
| Silene, Mexican (<i>Silene laciniata</i>) | BS, ST, OB, CN, VM | Aug., Sept. |
| Silver Puffs (<i>Uropappus lindleyi</i>) | PR | March, April |
| Solomon's Seal, False (<i>Smilacina racemosa</i>) | OB | May |
| Sorrel, Mtn. Wood (<i>Oxalis alpina</i>) | All Trails above 4600' | July, Aug. |
| Sorrel, Ten-leaved (<i>Oxalis decaphylla</i>) | DJ, ST, CN | July, Aug. |
| Spiderling, Red (<i>Boerhaavia coccinea</i>) | PR | Aug., Sept. |
| Spiderwort, Pinewoods (<i>Commelinaceae pinetorum</i>) | All Trails | Aug., Sept. |
| Stickleaf, Whitestem (<i>Mentzelia albicaulis</i>) | PR | March – May |
| Stonecrop, Bartram's (<i>Graptopetalum bartramii</i>) | ST | October |
| Sundrops (<i>Calylophus hartwegii</i> vr. <i>Pubescens</i>) | OB, CN | July, August |
| Sundrops, Toumey's (<i>Calylophus hartwegii</i>) | OB, CN | July, August |
| Sunflowerweed, Arizona (<i>Tithonia thurberi</i>) | PR, WH | Aug., Sept. |
| Sweet Scent (<i>Hedeoma hyssopifolium</i>) | All Trails above 4900' | June – Sept. |
| Tansyaster, Mesa (<i>Machaeranthera taquetina</i>) | NT | Aug., Sept. |
| Thimblehead, Wright's (<i>Hymenothrix wrightii</i>) | NT | September |
| Thimblehead, Yellow (<i>Hymenothrix wislizeni</i>) | PR, WH | September |
| Thistle, Arizona (<i>Cirsium arizonicum</i>) | All Trails above 4900' | May, Aug., Sept. |
| Thistle, New Mexico (<i>Cirsium neomexicanum</i>) | PR, WH, NT | March – June |
| Thistle, Wheeler (<i>Cirsium wheeleri</i>) | OB, VM | August |
| Thoroughwort, Western (<i>Ageratina herbacea</i>) | BS, NT, ST | Sept., Oct. |
| Toadflax, Bastard (<i>Comandra pallida</i>) | NT, KS, AC | April, May |

| | | |
|------------------------------------------------------------|------------------------|-----------------------|
| Trumpet, Thurber's (<i>Ipomopsis thurberi</i>) | NT, BS, ST, OB, VM | Aug., Sept. |
| Venus' Looking Glass (<i>Triodanis perfoliata</i>) | WH | April, May |
| Verbena, Dakota (<i>Glandularia bipinnatifida</i>) | All Trails above 4900' | April, May; July-Oct. |
| Vetch, American (<i>Vicia americana</i>) | OB | May |
| Vetch, Sweet Clover (<i>Vicia pulchella</i>) | CN | September |
| Violet, Canada (<i>Viola canadensis</i>) | CN, AC | April, May |
| Virgin's Bower, Western (<i>Clematis ligusticifolia</i>) | CN | August |
| Wait-a-Minute Bush (<i>Mimosa biuncifera</i>) | PR | May |
| Windmills, Pink (<i>Schoenocrambe linearifolium</i>) | All Trails above 4900' | June – Sept. |
| Wormwood, Silver (<i>Artemisia ludoviciana</i>) | BS, ST, CN | September |
| Zornia (<i>Zornia reticulata</i>) | DJ, BS, NT | September |